


KPZ 1BBC Basic Beam scales | | hot-dip galvanized

C series means: complete with Indicator, battery, output RS 232C |  | retail approval, included the price



Solid and stable **Beam scales** series **KPZ 1BB**. **German design and own EU production guarantees high quality.** Maintenance-free durable steel construction, hot-dip galvanized.

Construction: Robust, maintenance-free, Profile steel construction, hot-dip galvanized, for agriculture use.

Load cells: IP68, OIML III , with a high overload capacity. **Installation:** 2,5m cable between Beam and indicator. **Power Supply** : 230 V mains, Power cord. **Approvals:** OIML class III , CE conform. **Indicator:** KPZ 52E-16-2, **approved:** KPZ 52E-16-2

KPZ price includes : complete scale with indicator, built-in rechargeable battery and RS 232,  also the **Factory first Certification.**

Typ KPZ	Capacity kg	Division g	Dim. mm H 62	Indicator IP 65	€/pcs Scale	Art.-No. Scale	Certific. possible	€/pcs	Art.-No. Certification
1BBM	300/600	100/200	56x600	52162	580,00	1BBM00060600	No	X	X
1BBE	600	200	56x600	52E162	615,00	1BB00006060E	YES 	Included	X
1BBM	300/600	100/200	56x800	52162	595,00	1BBM00080600	No	X	X
1BBE	600	200	56x800	52E162	635,00	1BB00008060E	YES 	Included	X
1BBM	300/600	100/200	56x1000	52162	620,00	1BBM00100600	No	X	X
1BBE	600	200	56x1000	52E162	655,00	1BB00010060E	YES 	Included	X

Other dimensions and capacities are also available

Options / accessories / extra charge	€/pcs	Art.-No.
Delivery without Indicator	-50,00	12C52E162OH
Rechargeable battery version KPZ 51(2)-16-2	included	
Indicator Stand for KPZ 52E-16-2, Stainles steel	95,00	1N0200000000
Wall mounting for KPZ 51(2)-16-1	included	X
Serial interface RS232C k KPZ 51(2)-16-1	included	X
Set (4pcs) Base plate for fixing Loadcells stainless steel	135,00	01052N100000
Connector in cable between Plattform and Indicator also 	40,00	52E910001100
WiFi Datatransfer	510,00	120005000000
KPZ PC Software	On Request	X
KPZ Printer	On Request	X
USB, 8MB internal Memory	670,00	X

.....pls contact us for special request !



KPZ 1BVX Beam scales, hot-dip **galvanized** | | for industrial use



Solid and stable **Beam scales** series **KPZ 1BVX**. **German design and own EU production guarantees high quality**. Maintenance-free durable steel construction, hot-dip galvanized.

Construction: Robust, maintenance-free, Profile steel construction, heavy duty design, hot-dip galvanized, for agriculture use. **Load cells:** 4 pcs 1.500kg, IP68, OIML III , with a high overload capacity. Levelling feet.

Installation: 5m cable between Platform and indicator. **Power Supply** : 230 V mains, Power cord. **Approvals:** OIML class III , CE conform. **Indicator:** KPZ 52-18, **approved:** KPZ 52E-91,

Typ KPZ	Kapazität kg	Teilung kg	Abm. mm H 93	Anzeige	€/pcs Scale	Art.-No. Scale	Certific. possible	€/pcs Certific.	Art.-Nr. Eichung
1BVX	600	1,0	110x600	52-18	On Request	1BVX00061500	No	X	X
1BVXE	600	1,0	110x600	52E91/IP67	On Request	1BVX0006150E	YES	95,00	300PL0003000
1BVX	1500	1,0	110x600	52-18	705,00	1BVX00061500	No	X	X
1BVXE	1500	1,0	110x600	52E91/IP67	1010,00	1BVX0006150E	YES	95,00	300PL0003000
1BVX	1500	1,0	110x800	52-18	735,00	1BVX00081500	No	X	X
1BVXE	1500	1,0	110x800	52E91/IP67	1035,00	1BVX0008150E	YES	95,00	300PL0003000
1BVX	1500	1,0	110x1000	52-18	760,00	1BVX00101500	No	X	X
1BVXE	1500	1,0	110x1000	52E91/IP67	1065,00	1BVX0010150E	YES	95,00	300PL0003000

Other dimensions and capacities are also available

Options / accessories / extra charge	€/pcs	Art.-No.
Indicator Stand für KPZ 52E91, 100cm, powder painted	On Request	1S0210000000
Indicator Stand für KPZ 52E91, 100cm, stainless steel	On Request	1N0200000000
Wall mounting for KPZ 52E91	included	1S0020000000
Serial interface RS232 C for KPZ 52E91	On Request	1252E9100100
Fixing plate for load cell feet (set 4 pcs) stainless steel	135,00	01052N100000
Thermoprinter Favorit Plus, Steelhousing powder painted	On Request	2A1023000000
Thermoprinter Favorit Plus, stainless Steel housing powder painted	On Request	2AN1023000000
WiFi Datatransfer	425,00	120005000000
Connector in cable between Plattform and Indicator also	50,00	52E800001101
KPZ PC Software	On Request	X
KPZ Printer	On Request	X
USB, 8MB internal Memory	670,00	X

.....pls contact us for special request !

German design and own EU production guarantees high quality.



KPZ 1BSX Beam scale | | for industrial use



Solid and stable **Beam scales** series **KPZ 1BSX**. **German design and own EU production guarantees high quality**. Designed as floor scales, for industrial weighing. High accuracy. Maintenance-free durable steel construction. Powder paint coated, RAL 9005.

Construction: Robust, maintenance-free, welded Profile steel construction, heavy duty design for industrial use, durable black powder coated RAL 9005. **Load cells:** Robust, IP68, OIML III , with a high overload capacity. Levelling feet. **Installation:** 5m cable between Platform and indicator. **Power Supply** : 230 V mains, Power cord. **Approvals:** OIML class III , CE conform. **Indicator:** KPZ 52-18, **approved:** KPZ 52E-8,

Typ KPZ	Capacity kg	Div. g	Dim. mm H 91	Indicator	€/pcs Scale	Art.-No. Scale	Certific. possible	€/pcs Certific.	Art.-No. Certification
1BSXM	1000/2000	500/1000	110 x 600	52-18	550,00	1BSXM0062000	No	X	X
1BSXE	1500	500	110 x 600	52E-8	725,00	1BSX0006150E	YES	95,00	300PL003000
1BSXM	1000/2000	500/1000	110 x 1000	52-18	565,00	1BSXM0102000	No	X	X
1BSXE	1500	500	110 x 1000	52E-8	740,00	1BSX0010150E	YES	95,00	300PL003000
1BSX	1500	500	110 x 1000	52-18	565,00	1BSX00101500	No	X	X
1BSXE	2000	1000	110 x 1000	52E-8	740,00	1BSX0010200E	YES	95,00	300PL003000
1BSX	2000	1000	110 x 1000	52-18	565,00	1BSX00102000	No	X	X
1BSXM	1000/2000	500/1000	110 x 1260	52-18	575,00	1BSXM0122000	No	X	300PL003000
1BSXE	1500	500	110 x 1260	52E-8	750,00	1BSX0012150E	YES	95,00	X
1BSX	1500	500	110 x 1260	52-18	575,00	1BSX00121500	No	X	300PL003000
1BSXE	2000	1000	110 x 1260	52E-8	750,00	1BSX0012200E	YES	95,00	X
1BSX	2000	1000	110 x 1260	52-18	575,00	1BSX00122000	No	X	X
1BSXM	1000/2000	500/1000	110 x 1500	52-18	590,00	1BSXM0152000	No	X	X
1BSXE	1500	500	110 x 1500	52E-8	765,00	1BSX0015150E	YES	95,00	300PL003000
1BSX	1500	500	110 x 1500	52-18	590,00	1BSX00151500	No	X	X
1BSXE	2000	1000	110 x 1500	52E-8	765,00	1BSX0015200E	YES	95,00	300PL003000
1BSX	2000	1000	110 x 1500	52-18	590,00	1BSX00152000	No	X	X


Other dimensions and capacities are also available

Options / accessories / extra charge	€/pcs	Art.-No.
Delivery without Indicator REDUCED PRICE	On Request	1252180OHNE
Rechargeable battery version KPZ 52 18, KPZ 52E8	20,00	120040000000
Indicator Stand for KPZ 52-18, KPZ 52E8, powder painted, 100cm	40,00	2S0220000000
Wall mounting for KPZ 52-18, KPZ 52E8	15,00	1S0022000000
Serial interface RS232C k KPZ 52E-8	30,00	1252E8000100
Serial interface RS232C k KPZ 52-18	15,00	125218000100
Foot locators, Set (4pcs)	80,00	010520100000
3 Set points for KPZ 52E-8 (high – OK – low)	85,00	1252E8000300
WiFi Datatransfer	425,00	120005000000
Connector in cable between Plattform and Indicator also	15,00	52E800001101
KPZ PC Software	On Request	X
KPZ Printer	On Request	X
USB, 8MB internal Memory	670,00	X

.....please contact us for special requests!



KPZ 1BS Beam scale | | up to 15.000kg for strong industrial use



Extreme, solid and stable Beam scales series KPZ 1BS. German design and own EU production guarantees high quality. Designed as floor scales for industrial weighing. High accuracy. Maintenance-free durable steel construction. Powder paint coated.

Construction: Robust, maintenance-free, welded Profile steel construction, heavy duty design for industrial use, durable black powder coated RAL 9005. **Load cells:** Robust, IP68, OIML III , with a high overload capacity. Levelling feet. **Installation:** 5m cable between Plattform and indicator. **Power Supply** : 230 V mains, Power cord. **Approvals:** OIML class III , CE conform. **Indicator:** KPZ 52-18, **approved:** KPZ 52E-8,




Typ KPZ	Capacity kg	Div. g	Dim. mm H 85	Indicator	€/pcs Scale	Art.-No. Scale	Certific. possible	€/pcs Certific.	Art.-No. Certification
1BSM	1500/3000	500/1000	120x800	5218	780,00	1BSM0083000	No	X	X
1BSE	1500	500	120x800	52E8	980,00	1BS0008150E	YES	95,00	300PL003000
1BS	1500	500	120x800	5218	780,00	1BS00081500	No	X	X
1BSE	3000	1000	120x800	52E8	980,00	1BS0008300E	YES	95,00	300PL003000
1BS	3000	1000	120x800	5218	780,00	1BS00083000	No	X	X
1BSM	1500/3000	500/1000	120x1000	5218	785,00	1BSM0103000	No	X	X
1BSE	1500	500	120x1000	52E8	985,00	1BS0010150E	YES	95,00	300PL003000
1BS	1500	500	120x1000	5218	785,00	1BS00101500	No	X	X
1BSE	3000	1000	120x1000	52E8	985,00	1BS0010300E	YES	95,00	300PL003000
1BS	3000	1000	120x1000	5218	785,00	1BS00103000	No	X	X
1BSM	1500/3000	500/1000	120x1260	5218	815,00	1BSM0123000	No	X	X
1BSE	1500	500	120x1260	52E8	1015,00	1BS0012150E	YES	95,00	300PL003000
1BS	1500	500	120x1260	5218	815,00	1BS00121500	No	X	X
1BSE	3000	1000	120x1260	52E8	1015,00	1BS0012300E	YES	95,00	300PL003000
1BS	3000	1000	120x1260	5218	815,00	1BS00123000	No	X	X
1BSM	1500/3000	500/1000	120x1500	5218	835,00	1BSM0153000	No	X	X
1BSE	1500	500	120x1500	52E8	1035,00	1BS0015150E	YES	95,00	300PL003000
1BS	1500	500	120x1500	5218	835,00	1BS00151500	No	X	X
1BSE	3000	1000	120x1500	52E8	1035,00	1BS0015300E	YES	95,00	300PL003000
1BS	3000	1000	120x1500	5218	835,00	1BS00153000	No	X	X
1BS	3000	1000	120x2000	5218	On Request	1BS00203000	No	X	X
1BSE	3000	1000	120x2000	52E8	On Request	1BS0020300E	YES	95,00	300PL003000

Other dimensions and capacities are also available

Options / accessories / extra charge	€/pcs	Art.-No.
Delivery without Indicator	REDUCED PRICE	On Request
Rechargeable battery version KPZ 52 18, KPZ 52E8	20,00	12521800HNE
Indicator Stand for KPZ 52-18, KPZ 52E8, powder painted, 100cm	40,00	120040000000
Wall mounting for KPZ 52-18, KPZ 52E8	15,00	2S0220000000
Serial interface RS232C k KPZ 52E-8	30,00	1S0022000000
Serial interface RS232C k KPZ 52-18	15,00	1252E8000100
Foot locators, Set (4pcs)	80,00	125218000100
3 Set points for KPZ 52E-8 (high – OK – low)	85,00	010520100000
WiFi Datatransfer	425,00	1252E8000300
Connector in cable between Plattform and Indicator also	15,00	120005000000
KPZ PC Software	On Request	52E800001101
KPZ Printer	On Request	X
USB, 8MB internal Memory	670,00	X



Floor Scale, Steel powder painted

 M KPZ 1SC KPZ 1SX	 M KPZ 1S	 M KPZ 1BSX
 M KPZ 1B	 M KPZ 2SC	 KPZ RB M  Dosing
 M KPZ 2SX	 M KPZ 2S	 M KPZ 2VA
 M KPZ 2B	 M KPZ 2D	 KPZ 2 DC M
 KPZ 1BKPZ 2DA / 1BAC	 M KPZ 2L	 KPZ 2DV1
 Countingsystem	 KPZ 2082 M Dual Countingsystem	 M KPZ 2A,

Container scale

