

KPZ 2NC Platform Scales | | Stainless steel DIN 1.4301/AISI304, IP65

C series means: complete with Indicator, battery, output RS 232C | | retail approval, included the price



Robust and Stable **stainless steel Platform scale**, series **KPZ 2NC**. **German construction and own EU production guarantee high quality Scale**. High accuracy. Maintenance-free construction, with long service life, Material DIN 1.4301. High level of polishing for easy cleaning.

Construction: stable, maintenance-free, closed profile Stainless steel construction, with smooth weighing plate. Material DIN 1.4301. high level polishing for easy cleaning. **Connection:** cable 5 m long, between Platform and Indicator.. **Power supply:** 230 V mains, internal battery. **Loadcell :** stainless steel, IP 68, OIML C3, with high overload protection. Leveling Feet. **Approvals:** CE conform, EU-calibrated accuracy class III. **indicator:** KPZ 51-16-1, **approved:** KPZ 52E16-1, **IP65**, stainless steel weighing indicator and RS 232 C serial interface, internal battery, Wall mount for indicator, 6-digit 25 mm, backlit LCD, with status symbols.

KPZ price includes : complete scale with indicator, built-in rechargeable battery and RS 232, 2SCME also the Factory first Certification.

Typ KPZ	Capacity kg	Div. g	Dim. mm	Indicator IP65	€/pcs Scale	Art.-No. Scale	Certific. possible	€/pcs Certific.	Art.-No. Certification
2NC	600	200	800x800	52162	1740,00	2NC008080600	No	X	X
2NCE	600	200	800x800	52E162	1780,00	2NC00808060E	YES	included	X
2NC	1500	500	1000x1000	52162	1865,00	2NC010101500	No	X	X
2NCE	1500	500	1000x1000	52E162	1905,00	2NC01010150E	YES	included	X
2NC	1500	500	1000x1250	52162	2015,00	2NC010121500	No	X	X
2NCE	1500	500	1000x1250	52E162	2055,00	2NC01012150E	YES	included	X
2NC	1500	500	1250x1250	52162	2190,00	2NC012121500	No	X	X
2NCE	1500	500	1250x1250	52E162	2235,00	2NC01212150E	YES	included	X
2NC	1500	500	1250x1500	52162	2400,00	2NC012151500	No	X	X
2NCE	1500	500	1250x1500	52E162	2440,00	2NC01215150E	YES	included	X
2NC	1500	500	1500x1500	52162	2565,00	2NC015151500	No	X	X
2NCE	1500	500	1500x1500	52E162	2610,00	2NC01515150E	YES	included	X

Other dimensions and capacities are also available

Options / accessories / extra charge	€/pcs	Art.-No.
Delivery without Indicator	-50,00	12C52E162OH
Rechargeable battery version KPZ 51(2)-16-2	included	X
Indicator Stand for KPZ 52E-16-2, Stainles steel	95,00	1N020000000
Wall mounting for KPZ 51(2)-16-1	included	X
Serial interface RS232C k KPZ 51(2)-16-1	included	X
Set (4pcs) Base plate for fixing Loadcells stainless steel	135,00	01052N100000
Connector in cable between Plattform and Indicator also	50,00	52E910001100
WiFi Datatransfer	425,00	120005000000
KPZ PC Software	On Request	X
KPZ Printer	On Request	X
USB, 8MB internal Memory	670,00	X

... please contact us for special requests!

Also possible Stainless steel Material : DIN 1.4541 / 1.4404 / IP 65 - IP 69K



KPZ 2N Platform Scales | | **Stainless steel DIN 1.4301/AISI304, IP 67**



KPZ 51E-45K, IP 69 K M




Option
KPZ 52E162 IP 65



KPZ 52E91

Hygienic design (option)




Extreme solid and stable platform scale, series KPZ 2N, IP 67. German design and own EU production guarantees high quality. Designed as floor scales, for industrial weighing. High accuracy. Maintenance-free durable Stainless steel DIN 1.4301 construction. High quality polishing standard for easy cleaning.

Construction: Robust, welded stainless steel Profil construction, solid plain steel plate, heavy duty design for industrial use. Material DIN 1.4301. High level of polishing for easy cleaning. **Load cells:** Robust, stainless steel, IP68, OIML C 3, with a high overload capacity, **Levelling feet.** **Installation:** 5m cable between Platform and indicator. **Power Supply :** 230 V mains, Power cord. **Certification:** OIML class III , CE conform. **Indicator:** KPZ 52E91, **IP67.**

Typ KPZ	Capacity kg	Div. g	Dim. mm	Indicator IP67	€/pcs Scale	Art.-No. Scale	Certific. possible	€/pcs Certific.	Art.-No. Certification
2NE	300	100	800x800	52E91	2115,00	2N000808030E	YES	85,00	300PL000500
2NE	600	200	800x800	52E91	2115,00	2N000808060E	YES	95,00	300PL003000
2NM	750/1500	200/500	800x800	52E91	2065,00	2NM008081500	No	x	X
2NE	1500	500	800x800	52E91	2115,00	2N000808150E	YES	95,00	300PL003000
2NE	300	100	1000x1000	52E91	2255,00	2N001010030E	YES	85,00	300PL000500
2NE	600	200	1000x1000	52E91	2240,00	2N001010060E	YES	95,00	300PL003000
2NM	750/1500	200/500	1000x1000	52E91	2185,00	2NM010101500	No	x	X
2NE	1500	500	1000x1000	52E91	2240,00	2N001010150E	YES	95,00	300PL003000
2NE	300	100	1000x1250	52E91	2470,00	2N001012030E	YES	85,00	300PL000500
2NE	600	200	1000x1250	52E91	2470,00	2N001012060E	YES	95,00	300PL003000
2NM	750/1500	200/500	1000x1250	52E91	2470,00	2N001012150E	No	x	X
2NE	2000	1000	1000x1250	52E91	2470,00	2NM01012200E	YES	95,00	300PL003000
2NE	1500	500	1250x1250	52E91	2685,00	2N001212150E	YES	95,00	300PL003000
2NE	3000	1000	1250x1250	52E91	2685,00	2N001212300E	YES	95,00	300PL003000
2NM	1500/3000	500/1000	1250x1250	52E91	2630,00	2NM012123000	No	x	X
2NE	1500	500	1250x1500	52E91	3005,00	2N001215150E	YES	95,00	300PL003000
2NE	3000	1000	1250x1500	52E91	3120,00	2N001215300E	YES	95,00	300PL003000
2NM	1500/3000	500/1000	1250x1500	52E91	3060,00	2NM012153000	No	x	X
2NE	1500	500	1500X1500	52E91	3270,00	2N001515150E	YES	95,00	300PL003000
2NE	3000	1000	1500X1500	52E91	3765,00	2N001515300E	YES	95,00	300PL003000
2NM	1500/3000	500/1000	1500X1500	52E91	3695,00	2NM015153000	No	x	X
2NE	3000	1000	1500x2000	52E91	5900,00	2N001520300E	YES	95,00	300PL003000
2NM	1500/3000	500/1000	1500x2000	52E91	5820,00	2NM015203000	No	x	X

Also possible Stainless steel Material : DIN 1.4541 / 1.4404 / IP 65 - IP 69K

Other dimensions and capacities are also available

Options / accessories / extra charge	€/pcs	Art.-No.
Delivery without Indicator REDUCED PRICE	On Request	X
Indicator KPZ 52(E)162(IP65) instead of KPZ 52E91(IP67)	-20,00	12N52E16200
Rechargable battery version KPZ 52E91	included	X
Indicator Stand for KPZ 52E91 stainless Steel	80,00	1N0200000000
Wall mounting for KPZ 52E91	included	X
Serial interface RS232C k KPZ 52E91	15,00	1252E9000100
Foot locator, Set (4pcs), stainless steel	135,00	01052N100000
WiFi Datatransfer	425,00	120005000000
Connector in cable between Plattform and Indicator also 	50,00	52E910001100
USB, 8MB internal Memory	670,00	X
KPZ PC Software	On Request	X
KPZ Printer	On Request	X

Option / Pitframe	€/pcs	
Pitframe for KPZ 2N, 800 x 800 mm up to 3t	910,00	25N008083000
Pitframe for KPZ 2N, 1000 x 1000 mm up to 3t	1030,00	25N010103000
Pitframe for KPZ 2N, 1000 x 1250 mm up to 3t	1075,00	25N010123000
Pitframe for KPZ 2N, 1250 x 1250 mm up to 3t	1105,00	25N121230000
Pitframe for KPZ 2N, 1250 x 1500 mm up to 3t	1200,00	25N121530000
Pitframe for KPZ 2N; 1500 x 1500 mm up to 3t	1275,00	25N015153000
Pitframe for KPZ 2N, 1500 x 2000 mm up to 3t	1485,00	25N015203000

Option Ramp KPZ 2N	Ramp Dim.	€/pcs	
KPZ 2N 800 x 800 mm up to 3t	800 mm wide, 800 mm long	845,00	21N008083000
KPZ 2N 1000 x 1000 mm up to 3t	1000 mm wide, 800 mm long	975,00	21N008103000
KPZ 2N 1000 x 1250 mm up to 3t	1000 mm wide, 800 mm long	975,00	21N008103000
KPZ 2N 1250 x 1250 mm up to 3t	1250 mm wide, 800 mm long	1140,00	21N008123000
KPZ 2N 1250 x 1500 mm up to 3t	1250 mm wide, 800 mm long	1140,00	21N008123000
KPZ 2N 1500 x 1500 mm up to 3t	1500 mm wide, 800 mm long	1390,00	21N008153000
KPZ 2N 1500 x 1500 mm up to 3t	1500 mm wide, 1500 mm long	2150,00	21N015153000

Packing dimension	scale capacity	packing dimension
KPZ 2 N 800 x 800	Up to 1500kg	80 x 120 x 50 cm , 80 kg
KPZ 2 N 1000 x 1000	Up to 1500kg	130 x 100 x 50 cm, 100 kg
KPZ 2 N 1000 x 1250	Up to 1500kg	130 x 100 x 50 cm, 100 kg
KPZ 2 N 1250 x 1250	Up to 3000kg	130 x 135 x 50 cm 135 kg
KPZ 2 N 1250 x 1500	Up to 3000kg	130 x 160 x 50 cm. 160 kg
KPZ 2 N 1500 x 1500	Up to 3000kg	160 x 160 x 50 cm 190 kg
KPZ 2 N 1500 x 2000	Up to 3000kg	160 x 200 x 50 cm 330 kg

... please contact us for special requests!

Also possible Stainless steel Material : DIN 1.4541 / 1.4404 / IP 65 - IP 69K



NEW KPZ 2NG Platform Scales | | **Stainless steel DIN 1.4301/AISI304, IP 67**




Extreme solid and stable platform scale, series KPZ 2NG, IP 67. German design and own EU production guarantees high quality. Designed as floor scales, for industrial weighing. High accuracy. Maintenance-free durable Stainless steel DIN 1.4301 construction. High quality polishing standard for easy cleaning.

Construction: Hygienic design, Hermetically sealed profile, Opening construction for easy cleaning, - Gas pressure spring. Robust, welded stainless steel Profil construction, solid plain steel plate, heavy duty design for industrial use. Material DIN 1.4301. High level of polishing for easy cleaning. **Load cells:** Robust, stainless steel, IP68, OIML C 3, with a high overload capacity, **Levelling feet.** **Installation:** 5 m cable between Platform and indicator. **Power Supply :** 230 V mains, Power cord. **Certification:** OIML class III , CE conform. **Indicator:** KPZ 52E91, **IP67.**

Typ KPZ	Capacity kg	Div. g	Dim. mm	Indicator IP67	€/pcs Scale	Art.-No. Scale	Certific. possible	€/pcs Certific.	Art.-No. Certification
2NEG	300	100	800x800	52E91	2865,00	2NG00808030E	YES	85,00	300PL000500
2NEG	600	200	800x800	52E91	2865,00	2NG00808060E	YES	95,00	300PL003000
2NMG	750/1500	200/500	800x800	52E91	2930,00	2NMG08081500	No	x	X
2NEG	1500	500	800x800	52E91	2965,00	2NG00808150E	YES	95,00	300PL003000
2NEG	300	100	1000x1000	52E91	2985,00	2NG01010030E	YES	85,00	300PL000500
2NEG	600	200	1000x1000	52E91	2985,00	2NG01010060E	YES	95,00	300PL003000
2NMG	750/1500	200/500	1000x1000	52E91	3050,00	2NMG10101500	No	x	X
2NEG	1500	500	1000x1000	52E91	3085,00	2NG01010150E	YES	95,00	300PL003000
2NEG	600	500	1000x1250	52E91	3510,00	2NG010121500	Ne	x	X
2NEG	1500	500	1000x1250	52E91	3605,00	2NG01012150E	YES	95,00	300PL003000
2NEG	2000	1000	1000x1250	52E91	3640,00	2NG010122000	No	95,00	300PL003000
2NEG	600	200	1250x1250	52E91	3640,00	2NG012121500	No	x	X
2NEG	1500	500	1250x1250	52E91	3870,00	2NG01212150E	YES	95,00	300PL003000
2NEG	3000	1000	1250x1250	52E91	4230,00	2NG01212300E	YES	95,00	300PL003000
2NMG	1500/3000	500/1000	1250x1250	52E91	4195,00	2NMG12123000	No	x	X
2NEG	600	200	1250x1500	52E91	3900,00	2NG012150600	YES	95,00	300PL003000
2NEG	1500	500	1250x1500	52E91	4130,00	2NG01215150E	YES	95,00	300PL003000
2NEG	2000	1000	1250x1500	52E91	4130,00	2NG01215150E	YES	95,00	300PL003000
2NEG	3000	1000	1250x1500	52E91	4490,00	2NG01215300E	YES	95,00	300PL003000
2NMG	1500/3000	500/1000	1250x1500	52E91	4460,00	2NMG12153000	No	x	X
2NEG	1500	500	1500x1500	52E91	4325,00	2NG01515150E	YES	95,00	300PL003000
2NEG	3000	1000	1500x1500	52E91	4755,00	2NG01515300E	YES	95,00	300PL003000
2NMG	1500/3000	500/1000	1500x1500	52E91	4725,00	2NMG15153000	No	x	X
2NEG	3000	1000	1500x2000	52E91	8625,00	2NG01520300E	YES	95,00	300PL003000
2NMG	1500/3000	500/1000	1500x2000	52E91	8590,00	2NMG15203000	No	x	X

Other dimensions and capacities are also available

Options / accessories / extra charge	€/pcs	Art.-No.
Delivery without Indicator REDUCED PRICE	On Request	12N52E16200
Indicator KPZ 52(E)162(IP65) instead of KPZ 52E91(IP67)	20,00	X
Rechargable battery version KPZ 52E91	included	X
Indicator Stand for KPZ 52E91 stainless Steel	80,00	1N020000000
Wall mounting for KPZ 52E91	included	X
Serial interface RS232C k KPZ 52E91	15,00	1252E9000100
Foot locator, Set (4pcs), stainless steel	135,00	01052N100000
WiFi Datatransfer	425,00	120005000000
Connector in cable between Plattform and Indicator also	50,00	52E910001100
USB, 8MB internal Memory	670,00	X
KPZ Software	On Request	X
KPZ Printer	On Request	X





Ramp for KPZ 2NG	A/mm	B/mm	€/pcs	Art. nr
800 x 800 mm up to 3t	800	800	845,00	21NG08083000
1000 x 1000 mm up to 3t	800	1000	975,00	21NG08103000
1000 x 1250 mm up to 3t	800	1000	975,00	21NG08103000
1250 x 1250 mm up to 3t	800	1250	1140,00	21NG08123000
1250 x 1500 mm up to 3t	800	1250	1140,00	21NG08123000
1500 x 1500 mm up to 3t	800	1500	1390,00	21NG08153000
1500 x 1500 mm up to 3t	1500	1500	2150,00	21NG15153000

.....pls contact us for special request !

Stainless steel Material : DIN 1.4301 / 1.4541 / 1.4404 / IP 65 - IP 69K



KPZ-Waagen Stainless steel scale Program |   |
German design and own EU production guarantees high quality.
Also possible Material : DIN 1.4541 (AISI304) / 1.4404 / **IP 65 - IP 69K**

 <p>KPZ 1N/ IP67</p>	 <p>KPZ 717 N IP67</p>	 <p>KPZ 2DNC2 IP 65+67</p>	
 <p>KPZ 2N / IP67 Option: Frame Galvanized Plate Stainless</p>	 <p>KPZ 2N / Hygienic design (option)</p>	 <p>Customized design</p>	
 <p>KPZ 2DN / IP67</p>	 <p>KPZ 2DN / IP67</p>	 <p>KPZ 1N Beam Scale IP 67</p>	
 <p>KPZ 2E06N IP67 + IP 69K</p>	 <p>Roller conveyor</p>	 <p>KPZ 2E-07-2N M</p>	 <p>KPZ 2NL</p>

... please contact us for special requests!

**Hygienic design, Hermetically sealed profile,
Opening construction for easy cleaning, - Gas pressure spring.**

