

## KPZ Table and Counting Scale



**KPZ 2-02-4(E) M**  
**Universal Precision scale**  
**Inexpensive version**



**KPZ 2-03-3(E) M**  
**Universal Precision scale**



**KPZ 2-03-10(E) M**  
**Digital Multi-Purpose Scale**  
**IP 65**




**KPZ 2-04(E)-7 M**  
**High resolution and counting**  
**Precision scale**  
**Inexpensive version**



**KPZ 2-04(E)-3 M**  
**High resolution counting Precision scale**



**KPZ 2-04-8**  
**Highly accurate counting scale**



**KPZ 2-08-2 M**  
**Dual Digital counting scale system**



**KPZ 2(E)-06A M / Bench scale**  
**Inexpensive version**



**KPZ 2(E)-06S M Bench scale**  
**Capacity up to 900kg**



**KPZ 2E06N M Bench Scale**  
**Stainless steel, DIN 1.4301 / IP67/68**  
**and IP 69K**



**KPZ 2E-07-2N M**  
**Wall folding scale**  
**Stainless steel, DIN 1.4301 / IP67/68**  
**and IP 69K**



**KPZ 2113**  
**Postal Scale**  
**Capacity : up to 60 kg**  
**Inexpensive version**



**KPZ 2114**  
**Digital VET Platform scale**  
**Capacity : up to 150/300kg**

## Special models are our speciality!

## KPZ 2-04-8 / Highly accurate counting scale

**Robust highly accurate counting scales up to 30 kg for industrial use**

Indicator division: 1/60.000 with internal division up to 1/600.000



### Counting scale KPZ 2-04-8 platform dimensions are 230 x 300 mm.

This high quality, highly accurate counting scale can be used anywhere in industry. On the basis of high resolution and precision of internal resolution can be easily calculated a large number of small parts. Furthermore, it follows from this great stability and repeatability.

Indicator with 3 LCD-display allows the operator to capture all the important data at a glance. This extremely durable construction, an additional protection against moisture resistant battery built and optimized using waterproof membrane keypad makes this counting scale indispensable daily helper cell. The scale can be powered by battery or mains. The platform is made of stainless steel and is removable for cleaning

#### Standart options:

- Indicator division: 1/60.000 with internal division up to 1/600.000
- Programmed auto calibration
- Automatic zero setting
- Counting (smallest weight 1/5 division of Indicator). Scale counts small pieces.
- Tare value can be weight or put manually.
- Scale has over **100** (freely programmable) memory for the number of goods and description of goods.
- Place the loaded amount of memory in addition to counting parts in the overall piece, and its total weight
- Weight and quantity (calculated results) can be added in memory.
- Quantity and weight control, weighing in tolerance section (Checkweighing)  
(Signal tone when crossing weight value).


**Functions** : 3 LCD's, 6-digit, 20 mm high,  $\pm 100\%$  -tare weight input by weighing-in or manual input, negative value indication, automatic calibration, manual and automatic addition function, check function for piece quantity, check function for weight, automatic piece weight new calculation. Self-test function, automatic zero setting, NET weight display, scale 1 or 2-function indication, Memory accumulation M+, operating temperature : from 0°C up to +40°C.

Typ	Capacity	Div.	Dim. mm.	Approval possibility	PLN/pc.	Obj. č.
2-04-8/3000	3.000g	0,05g	230x300mm	Ne		204803000000
2-04-8/6	6.000g	0,1g	230x300mm	Ne		204806000000
2-04-8/15	15.000g	0,2g	230x300mm	Ne		204801500000
2-04-8/30	30.000g	0,5g	230x300mm	Ne		204803000000

Options / accessiores / extra charge		
Serial interface RS 232		123070000000
Roller printer FAVORIT 24 Plus		120024000000

Typ	Váživost	Rozměry balení
KPZ 2-04-8	všechny	45 x 38 x 21 - 5kg

## 2-08-2 / Dual Digital counting scale system



**counting problems ?**

Special requirements - please contact us for more information!

**Special models are our speciality!**

## KPZ 2-04-8 / Highly accurate counting scale

**Robust highly accurate counting scales up to 30 kg for industrial use**

Indicator division: 1/60.000 with internal division up to 1/600.000



### Counting scale KPZ 2-04-8 platform dimensions are 230 x 300 mm.

This high quality, highly accurate counting scale can be used anywhere in industry. On the basis of high resolution and precision of internal resolution can be easily calculated a large number of small parts. Furthermore, it follows from this great stability and repeatability.

Indicator with 3 LCD-display allows the operator to capture all the important data at a glance. This extremely durable construction, an additional protection against moisture resistant battery built and optimized using waterproof membrane keypad makes this counting scale indispensable daily helper cell. The scale can be powered by battery or mains. The platform is made of stainless steel and is removable for cleaning

#### Standart options:

- Indicator division: 1/60.000 with internal division up to 1/600.000
- Programmed auto calibration
- Automatic zero setting
- Counting (smallest weight 1/5 division of Indicator). Scale counts small pieces.
- Tare value can be weight or put manually.
- Scale has over **100** (freely programmable) memory for the number of goods and description of goods.
- Place the loaded amount of memory in addition to counting parts in the overall piece, and its total weight
- Weight and quantity (calculated results) can be added in memory.
- Quantity and weight control, weighing in tolerance section (Checkweighing)  
(Signal tone when crossing weight value).

**Functions** : 3 LCD's, 6-digit, 20 mm high,  $\leftrightarrow$ =100 % -tare weight input by weighing-in or manual input, negative value indication, automatic calibration, manual and automatic addition function, check function for piece quantity, check function for weight, automatic piece weight new calculation. Self-test function, automatic zero setting, NET weight display, scale 1 or 2-function indication, Memory accumulation M+, operating temperature : from 0°C up to +40°C.

Typ	Capacity	Div.	Dim. mm.	Approval possibility	PLN/pc.	Obj. č.
2-04-8/3000	3.000g	0,05g	230x300mm	Ne		204803000000
2-04-8/6	6.000g	0,1g	230x300mm	Ne		204806000000
2-04-8/15	15.000g	0,2g	230x300mm	Ne		204801500000
2-04-8/30	30.000g	0,5g	230x300mm	Ne		204803000000

Options / accessiores / extra charge		
Serial interface RS 232		123070000000
Roller printer FAVORIT 24 Plus		120024000000

Typ	Váživost	Rozměry balení
KPZ 2-04-8	všechny	45 x 38 x 21 - 5kg


## KPZ 2-04(E)-7 / High resolution and counting Precision scale

**Robust Counting scales up to 30 kg for industrial use**

For use with or without EU approval /

**1/600000 Internal divisions**  
**1/30000 External divisions**  
**High accuracy**  
**Robust construction**  
**Counting function**  
**Inexpensive**  
**Manual tare**  
**Zero setting**  
**230 V mains**  
**Option : Battery**

**Inexpensive version**



**Approvals:** OIML class III , CE conform

**Power Supply:** 230 V mains, Power cord

This high resolution, quality, precision scale can be used in variety of non approved applications. Due to the high accuracy display resolution, combined with the expanded internal resolution this scale provides precise and stable indication with additional high performance repeatability. The robust construction, additional humidity barrier, built-in rechargeable battery, highly visible 3 window LCD display and waterproof front membrane keyboard make this precision scale a benefit to all types of high accuracy industrial weighing & counting applications.

**Standard Features:** External resolution : 1/30.000 & 1/15.000: Internal resolution 1/600.000 & 1/300.000. Built in calibration routine. Automatic and manual zero function. 100% Tare. Piece counting. The tare value and the individual piece weight can be entered by weighing out or via the numeric keyboard. The scale has a 10 item memory for programming of individual piece weights used constantly by the operator. The three window backlight LCD display provides weight, unit count and average weight per unit. Both the weight and piece counting result can be accumulated in the memory. The scale has an audible alarm/check function for either weight or piece quantity, Mains & rechargeable battery operation, Stainless steel weighing platform which can be fully removed for cleaning.

Typ	Capacity	Div.	Dim. mm.	Approval possibility	PLN/pc.	Art.-No
KPZ 2-04-7	3 kg	0,1 g	220 x 315 mm	No		202400300000
KPZ 2-04-7	6 kg	0,2 g	220 x 315 mm	No		202400600000
KPZ 2-04-7	15 kg	0,5 g	220 x 315 mm	No		202401500000
KPZ 2-04-7	30 kg	1,0 g	220 x 315 mm	No		202403000000
KPZ 2-04(E)-7	3 kg	1,0 g	220 x 315 mm	YES		2024E0030000
KPZ 2-04(E)-7	6 kg	2,0 g	220 x 315 mm	YES		2024E0060000
KPZ 2-04(E)-7	15 kg	5,0 g	220 x 315 mm	YES		2024E0150000
KPZ 2-04(E)-7	30 kg	10 g	220 x 315 mm	YES		2024E0300000

Options / accessories / extra charge	PLN/St.	Article-Nr
KPZ Factory first certification for scales up to 50 kg		300100300000
Stainless steel platform, 246 x 222 x 42 mm		204300080000
Serial interface RS 232 incl. PT and Addition		204300070002
Serial interface RS 232 incl. RTC, w/out PT, w/out addition		204300070001
Printer DR 7		120039000000
Printer DR 7 with date & time		120039100000
Label printer DR 2 for RS 232 , KPZ 2-04-4		204333000000
Print desing for DR 2 on request		204333100000

Packing Diam.		
KPZ 2-04(E)-7	42 x 39 x 20 cm	7 kg

## Inexpensive, high resolution precision scale



**Options? Ask us, we do almost everything possible for you**

## KPZ 54-\* / Touch screen indicator



- **Touch Operating System for user friendly and fastest operations.**
- **Multi-printer selectable**
- **Custom printout options,**
- **Multi -language support**
- **Report management.**
- **PC keyboard and Mouse can be connected**
- **Software upgrade option.**
- **9999 products possible to store in memory.**
- **designed for multiple use, such as Weighing, Target, Counting, Check weighing and Recipe operations.**
- **2xUSB port, 1xRS232, optional more ports possible**
- **7' or 8' display possible**
- **Robust ABS or stainless steel housing possible**
- **Dual scale option ( extra charge) possibility**



**KPZ 1-\***

**KPZ 2- \***

**KPZ 2-\***



**KPZ 71-\***

**KPZ 73-\***



**KPZ 72-\***

**KPZ 74-\***



**Weighing forks Forklift truck scale**



**Electronic – Hydraulic version**



**Scale for Coil's**

**Stainless steel, IP 67/68/ 69K**



**KPZ-Waagen Indicator**



**KPZ 52E8**

**KPZ 52E8-1**

**KPZ 56E4**

**KPZ 54-1\***



**KPZ 52-18**



**KPZ 52E9-1**



**KPZ 52E9-2**