

KPZ-Waagen Stainless steel scale Program

German design and own EU production guarantees high quality.

Stainless steel Material : DIN 1.4301 / 1.4541 / 1.4404

IP 67/68 + IP 69K



KPZ 1N/
IP67/68 / IP 69K



KPZ 717 N
IP67/68 / IP 69K



KPZ 2E06N /
váha IP67/68 / IP 69K




KPZ 2N / IP67/68 / IP 69K



KPZ 2N /
IP67/68 / IP 69K



KPZ 2NE065 / IP67/68 / IP 69K



KPZ 2DN / IP67/68 / IP 69K





KPZ 2DN / IP67/68 / IP 69K
Váživost: až 3.000kg





KPZ 2E-07-2N 
Wall folding scale
Stainless steel, DIN 1.4301 /
IP67/68
and IP 69K



KPZ 52E91  





KPZ 5E92  



KPZ 51E-45K, IP 69 K
 



KPZ 54E-*  

KPZ 2E06N / Bench Scale

Stainless steel, DIN 1.4301 / IP67/68 and IP 69K

Stainless steel, NEMA 6 / IP67/68 and IP 69K

For continuous operation / Better quality: approved components !!!



KPZ 52E91, IP 67



KPZ 51E-45K, IP 69 K

Solid and stable platform scales series KPZ 2E06N. German design and own EU production guarantees high quality. Designed as Bench scales, for Food and chemical industrial weighing. High accuracy. Maintenance-free durable Stainless steel, DIN 1.4301/ IP67/68 / IP69K construction. High quality polishing Standard.

Construction: Robust, maintenance-free, welded steel construction, heavy duty design for food industrial use, Stainless steel weighing platform, Maintenance-free durable Stainless steel (DIN 1.4301 / IP67/68 /

Load cells: Robust, stainless steel load cell, IP68, OIML,

Installation: Adjustable leveling feet, designed for permanent or portable installations, 1,5m cable to connect digital indicator.

Approvals: OIML class III M, CE conform

Power Supply: 230 V mains, Power cord

Options: Back holder, Wall mounting for indicator, Indicator stand, Custom sizes and capacities
















Standard indicator: KPZ 52E91

For approved applications: KPZ 52E91

Options for indicators:

Multi range,
RS 232 serial interface,
Various printers connection,
Radio data transfer,
WLAN, etc..
Internal battery

Special requirements for unique loading - please contact us for more information!

Typ	Capacity	Div.	Dimm.mm.	Approval possibility	Indicator	PLN/pc	Art.-No
KPZ 206N	6 kg	0,5g	250 x 300 x 120	No	KPZ 52E91/IP67	On Request	206N00062300
KPZ 2E06N	6 kg	2g	250 x 300 x 120	Yes 	KPZ 52E91/IP67	On Request	2E06N00062300
KPZ 206N	15 kg	1g	250 x 300 x 120	No	KPZ 52E91/IP67	On Request	206N00152300
KPZ 2E06N	15 kg	5g	250 x 300 x 120	Yes 	KPZ 52E91/IP67	On Request	2E06N00152300
KPZ 206N	30 kg	2g	250 x 300 x 120	No	KPZ 52E91/IP67	On Request	206N00302300
KPZ 2E06N	30 kg	10g	250 x 300 x 120	Yes 	KPZ 52E91/IP67	On Request	2E06N00302300
KPZ 206N	15 kg	1g	300 x 400 x 150	No	KPZ 52E91/IP67	On Request	206N00153400
KPZ 2E06N	15 kg	5g	300 x 400 x 150	Yes 	KPZ 52E91/IP67	On Request	2E06N00153400
KPZ 206N	30 kg	2g	300 x 400 x 150	No	KPZ 52E91/IP67	On Request	206N00303400
KPZ 2E06N	30 kg	10g	300 x 400 x 150	Yes 	KPZ 52E91/IP67	On Request	2E06N00303400
KPZ 206N	75 kg	5g	300 x 400 x 150	No	KPZ 52E91/IP67	On Request	206N00753400
KPZ 2E06N	60 kg	20g	300 x 400 x 150	Yes 	KPZ 52E91/IP67	On Request	2E06N00603400
KPZ 206N	30 kg	2g	420 x 520 x 150	No	KPZ 52E91/IP67	On Request	206N00304500
KPZ 2E06N	30 kg	10g	420 x 520 x 150	Yes 	KPZ 52E91/IP67	On Request	2E06N00304500
KPZ 206N	75kg	5g	420 x 520 x 150	No	KPZ 52E91/IP67	On Request	206N00754500
KPZ 2E06N	60kg	20g	420 x 520 x 150	Yes 	KPZ 52E91/IP67	On Request	2E06N00604500
KPZ 206N	150 kg	10g	420 x 520 x 150	No	KPZ 52E91/IP67	On Request	206N01504500
KPZ 2E06N	150 kg	50g	420 x 520 x 150	Yes 	KPZ 52E91/IP67	On Request	2E06N01504500
KPZ 206N	75 kg	5g	600 x 600 x 150	No	KPZ 52E91/IP67	On Request	206N00756600
KPZ 2E06N	60 kg	20g	600 x 600 x 150	Yes 	KPZ 52E91/IP67	On Request	2E06N00606600
KPZ 206N	150 kg	10g	600 x 600 x 150	No	KPZ 52E91/IP67	On Request	206N01506600
KPZ 2E06N	150 kg	50g	600 x 600 x 150	Yes 	KPZ 52E91/IP67	On Request	2E06N01506600
KPZ 206N	300 kg	20g	600 x 600 x 150	No	KPZ 52E91/IP67	On Request	206N03006600
KPZ 2E06N	300 kg	100g	600 x 600 x 150	Yes 	KPZ 52E91/IP67	On Request	2E06N03006600
KPZ 206N	75 kg	5g	600 x 800 x 150	No	KPZ 52E91/IP67	On Request	206N00756800
KPZ 2E06N	60 kg	20g	600 x 800 x 150	Yes 	KPZ 52E91/IP67	On Request	2E06N00606800
KPZ 206N	150 kg	10g	600 x 800 x 150	No	KPZ 52E91/IP67	On Request	206N01506800
KPZ 2E06N	150 kg	50g	600 x 800 x 150	Yes 	KPZ 52E91/IP67	On Request	2E06N01506800
KPZ 206N	300 kg	20g	600 x 800 x 150	No	KPZ 52E91/IP67	On Request	206N03006800
KPZ 206N	300 kg	20g	800 x 800 x 150	No	KPZ 52E91/IP67	On Request	206N03006800
KPZ 2E06N	300 kg	100g	800 x 800 x 150	Yes 	KPZ 52E91/IP67	On Request	2E06N03006800

Typ	Capacity	Div.	Dimm.mm.	Approval possibility	Indicator	PLN / pc	Art.-No
KPZ 2E-06-5	6 kg	0,2 g	260 x 300	No	KPZ 52E91/IP67	On Request	2065000623
KPZ 2E-06-5	6 kg	2,0 g	260 x 300	Yes 	KPZ 52E91/IP67	On Request	2E065000623
KPZ 2E-06-5	15 kg	0,5 g	260 x 300	No	KPZ 52E91/IP67	On Request	2065001523
KPZ 2E-06-5	15 kg	5,0 g	260 x 300	Yes 	KPZ 52E91/IP67	On Request	2E065001523
KPZ 2E-06-5	30 kg	1,0 g	260 x 300	No	KPZ 52E91/IP67	On Request	2065003023
KPZ 2E-06-5	30 kg	10 g	260 x 300	Yes 	KPZ 52E91/IP67	On Request	2E065003023



KPZ 2E065



Indicator KPZ 52E-9-1, Stainless steel housing IP 67,
 6 digit 25 mm high LCD-Display, with backlight
 function, large function keys
 Pre-set / limit value control, Simple piece counting

EC approved class III up to 10.000 e

KPZ 2E-07-2N / Wall folding scale

Stainless steel DIN 1.4301 IP 67/68 + IP 69K



IP 69 K

Solid and stable platform scales series **KPZ 2E06N**. German design and own EU production guarantees high quality. Designed as Bench scales, for **Food** industrial weighing. High accuracy. Maintenance-free durable **Stainless steel, DIN 1.4301/ IP67/68 / IP69K** construction. High quality polishing Standard.

Construction: Robust, maintenance-free, welded stainless steel construction, heavy duty design for **food industrial** use, **Stainless steel** weighing platform, Maintenance-free durable Stainless steel (**DIN 1.4301 / IP67/68 /**

Load cells: Robust, **stainless steel load cell**, IP68, OIML,

Approvals: OIML class III **M**, CE conform

Power Supply: 230 V mains, Power cord

Options: Back holder, Wall mounting for indicator, Indicator stand, Custom sizes and capacities

Standard indicator: **KPZ 52E91**


For approved applications: **KPZ 52E91**

Options for indicators:

Multi range,
RS 232 serial interface,
Various printers connection,
Radio data transfer,
WLAN, etc..
Internal battery

**Special requirements for unique loading
please contact us for more information**

Typ	Capacity	Div.	Dimm.mm.	Approval possibility	Indicator	PLN / pc	Art.-No
2E072N	60 kg	20g	550 x 405 mm	Ano M	KPZ 52E91/IP67		2E072N0060
2E072N	75 kg	5g	360 x 310 mm	Ne	KPZ 52E91/IP67		2072N00075
2E072N	150 kg	50g	360 x 310 mm	Ano M	KPZ 52E91/IP67		2E072N0150
2E072N	150 kg	10g	360 x 310 mm	Ne	KPZ 52E91/IP67		2072N00150



Special requirements for unique loading - please contact us for more information!



KPZ 1-*

KPZ 2- *

KPZ 2-*



KPZ 71-*

KPZ 73-*



KPZ 72-*



KPZ 74-*



Weighing forks Forklift truck scale




Electronic – Hydraulic version



Scale for Coil's

Stainless steel, IP 67/68/ 69K



KPZ-Waagen Indicator



KPZ 52E8

KPZ 52E8-1

KPZ 56E4

KPZ 54-1*



KPZ 52-18



KPZ 52E9-1



KPZ 52E9-2