

KPZ-Waagen Stainless steel scale Program

German design and own EU production guarantees high quality.

Stainless steel Material : DIN 1.4301 / 1.4541 / 1.4404

IP 67/68 + IP 69K



KPZ 1N/
IP67/68 / IP 69K



KPZ 717 N
IP67/68 / IP 69K



KPZ 2E06N /
váha IP67/68 / IP 69K




KPZ 2N / IP67/68 / IP 69K



KPZ 2N /
IP67/68 / IP 69K



KPZ 2NE065 / IP67/68 / IP 69K



KPZ 2DN / IP67/68 / IP 69K




KPZ 2DN / IP67/68 / IP 69K
Váživost: až 3.000kg




KPZ 2E-07-2N M
Wall folding scale
Stainless steel, DIN 1.4301 /
IP67/68
and IP 69K



KPZ 52E91 




KPZ 5E92 




KPZ 51E-45K, IP 69 K




KPZ 54E-* 

KPZ 2DN / Low construction scales
Stainless steel, DIN 1.4301 / IP67/68 and IP 69K
Solid Low construction scales for industrial use

For continuous operation / Better quality: approved components !!!
Plain, top plate of platform made of one piece



IP 69 K

Indicator KPZ 52E-9-1, Stainless steel housing IP 67,
6 digit 25 mm high LCD-Display, with backlight
function, large function keys
Pre-set / limit value control, Simple piece counting



EC approved class III up to 10.000 e

Solid and stable platform scales series **KPZ 2 DN IP 67**. German design and own EU production guarantees high quality. Designed as floor scales, for **food and Chemical industrial weighing**. High accuracy. Maintenance-free durable **Stainless steel (DIN 1.4301 / IP67/68 / 69K)** construction. High quality polishing standard.

Construction: Robust, maintenance-free, welded stainless steel construction, heavy duty design for food industrial use, **Stainless steel** weighing platform, Maintenance-free durable **Stainless steel (DIN 1.4301 / IP67/68 /**

Load cells: Robust, **stainless steel load cell**, IP68, OIML, with a high overload capacity.

Installation: Adjustable leveling feet, designed for permanent or portable installations, 5m cable to connect digital indicator.

Options: Extra ramps, Base anchors, Wall mounting for indicator, Indicator stand, Custom sizes and capacities

Standard indicator: KPZ 52E91

For approved applications: KPZ 52E91

Options for indicators:

Multi range,
RS 232 serial interface,
Various printers connection,
Radio data transfer,
WLAN, etc..
Internal battery












Approvals: OIML class III **M**, CE conform

Power Supply : 230 V mains, Power cord



German design and own EU production guarantees high quality.

Stainless steel Material : DIN 1.4301 / 1.4541 / 1.4404 / IP 67/68 + IP 69K

Solid floor scales for strong industrial use


Typ	Capacity	Div.	Dim. mm.	Approval possibility	Indicator	PLN/pc.	Art.-No
KPZ 2DN	150 kg	50 g	800 x 800 x 45	YES  M	KPZ 52E91/IP67	on request	2DN00808015E
KPZ 2DNM	150/300 kg	50/100 g	800 x 800 x 45	No	KPZ 52E91/IP67	on request	2DNM08080300
KPZ 2DN	300 kg	100 g	800 x 800 x 45	YES  M	KPZ 52E91/IP67	on request	2DN00808030E
KPZ 2DN	600 kg	200 g	800 x 800 x 45	YES  M	KPZ 52E91/IP67	on request	2DN00808060E
KPZ 2DNM	300/600 kg	100/200 g	800 x 800 x 45	No	KPZ 52E91/IP67	on request	2DNM08080600
KPZ 2DNM	750/1500 kg	200/500 g	800 x 800 x 45	Ne	KPZ 52E91/IP67	on request	2DNM08081500
KPZ 2DN	600 kg	200 g	1060 x 1250 x 45	YES  M	KPZ 52E91/IP67	on request	2DN01112060E
KPZ 2DNM	750/1500 kg	200/500 g	1060 x 1250 x 45	No	KPZ 52E91/IP67	on request	2DNM11121500
KPZ 2DN	1500 kg	500 g	1060 x 1250 x 45	YES  M	KPZ 52E91/IP67	on request	2DN01112150E
KPZ 2DN	600 kg	200 g	1250 x 1250 x 45	YES  M	KPZ 52E91/IP67	on request	2DN01212060E
KPZ 2DNM	750/1500 kg	200/500 g	1250 x 1250 x 45	No	KPZ 52E91/IP67	on request	2DNM12121500
KPZ 2DN	1500 kg	500 g	1250 x 1250 x 45	YES  M	KPZ 52E91/IP67	on request	2DN01212150E
KPZ 2DN	600 kg	200 g	1250 x 1500 x 45	YES  M	KPZ 52E91/IP67	on request	2DN01215060E
KPZ 2DNM	750/1500 kg	200/500 g	1250 x 1500 x 45	No	KPZ 52E91/IP67	on request	2DNM12151500
KPZ 2DN	1500 kg	500 g	1250 x 1500 x 45	YES  M	KPZ 52E91/IP67	on request	2DN01215150E
KPZ 2DN	600 kg	200 g	1500 x 1500 x 45	YES  M	KPZ 52E91/IP67	on request	2DN01515060E
KPZ 2DNM	750/1500 kg	200/500 g	1500 x 1500 x 45	No	KPZ 52E91/IP67	on request	2DNM15151500
KPZ 2DN	1500 kg	500 g	1500 x 1500 x 45	YES  M	KPZ 52E91/IP67	on request	2DN01515150E

Diameter typ KPZ 2DN



Capacity	Dim.	A	A1	B	C	C1	D	E
600kg	800 x 800	800	1800	500	800	1040	80	45
1500kg	1250 x 1060	1250	2250	500	1060	1300	80	45
1500kg	1250 x 1250	1250	2250	500	1250	1490	80	45
1500kg	1250 x 1500	1500	2500	500	1250	1490	80	45

Ramp for KPZ 2DN



Ramp for KPZ 2 DN	A / mm	B / mm	Obj. č.
Ramp for KPZ 2 DN, 800 mm	500	800	21DN05081200
Ramp for KPZ 2 DN, 1060 mm	500	1060	21DN05111500
Ramp for KPZ 2 DN, 1250 mm	500	1250	21DN05121500
Ramp for KPZ 2 DN, 1500 mm	500	1500	21DN05151500

Special models are our speciality!

(pharmaceutical version on request)

Weighing range from 0 up to 6.000 kg

Options / accessories / extra charge	PLN/pc	Article-Nr.
Go through stop		
Go through stop for KPZ 2 DN dim. 800 x 800 mm	on request	2DN001101500
Go through stop for KPZ 2 DN dim. 1250 x 1060 mm	on request	2DN000131500
Go through stop for KPZ 2 DN dim. 1250 x 1500 mm	on request	2DN001151500
Go through stop for KPZ 2 DN dim. 1500 x 1500 mm	on request	2DN001171500

Options accessories / extra charge			
Ramp for KPZ 2DN			
fits	Ramp dimension	PLN/pc	
KPZ 2 DN 800 x 800 mm	800 mm wide, 500 mm long	on request	21DN05081200
KPZ 2 DN 1060 x 1250 mm	1060 mm wide, 500 mm long	on request	21DN05111500
KPZ 2 DN 1250 x 1250 mm	1250 mm wide, 500 mm long	on request	21DN05121500
KPZ 2 DN 1500 x 1500 mm	1500 mm wide, 500 mm long	on request	21DN05151500

Packing dimension			
Type	Scale Capacity	Packing Dim.	
KPZ 2DN 800 x 800 mm	Up to 3000kg	80 x 120 x 50 cm, 105 kg	
KPZ 2DN 1060 x 1250 mm	Up to 3000kg	130 x 130 x 50 cm, 180 kg	
KPZ 2DN 1250 x 1250 mm	Up to 3000kg	130 x 160 x 50 cm, 225 kg	
KPZ 2DN 1250 x 1500 mm	Up to 1500kg	160 x 160 x 50 cm, 255 kg	
KPZ 2DN 1500 x 1500 mm	Up to 1500kg	160 x 200 x 50 cm, 315 kg	

We reserve the right to make changes without prior notification

Options / accessories / extra charge	PLN/pc	Article-No.
Indicators: Options (extra cost)		
Delivery without Indicator KPZ 52E-9-1 REDUCED PRICE	on request	12N52E91OHNE
Indicator KPZ 51E-9-2, Stainles steel housing (IP 67), High/OK/LOW, 10 Memory	on request	12N51E920000
Printers: Options (extra cost) + costs for output RS 232		
Roller printer FAVORIT Plus, for KPZ 52(E)*,	on request	120024000000
Label printer and code printer type DR 2 for KPZ 56E-3, KPZ 51E-9-2	on request	120038000000
Print design for DR 2 on request	on request	204333100000

serial interface / Setpoints: Options / extra costs		
Serial interface RS232 C for KPZ 52E-9-1	on request	123071000000
Serial interface RS232 C for KPZ 51E-9-2	on request	123072000000
Setpoints, 3 pcs for KPZ 51E-9-2 (more – OK – less)	on request	120029002000
Software "KPZ Smart Scale" STANDARD (incl. RS232 serial interface)	on request	5S0001000000
Software "KPZ Smart Scale" PROFESSIONAL (incl. RS232 serial interface)	on request	5S0005000000
Software "KPZ Smart Scale" PREMIUM (incl. RS232 serial interface)	on request	5S0010000000
Wi-Fi Datatransfer	on request	120005000000
Rechargable battery version KPZ 52E-9-1, 51E-9-2	on request	120040000000

weights & measures certification (extra charge)		
KPZ Factory first certification from 550 kg up to 3.000 kg	on request	300PL0003000

construction accessories (extra charge)		
Indicator stand for KPZ 52E-9-1, 51E-9-2 Stainless Steel	on request	1N0200000000


Packing dimension	
Model	Dimension
KPZ 1N	130 x 80 x 50 cm, 80 kg

We reserve the right to make changes without prior notification

KPZ 2DN / Low construction platform scale

Rugged platform scale with very flat drive-on! Including 1 x ramp



















Stainless steel DIN 1.4301(NEMA 6)



Low construction scale, KPZ 2DN, for use with or without EU approval.

Low construction scale with drive in option and passing drive option, in special construction with lowered weighing platform. Possibility to easy drive on with heavy load through 1 ramp (standard) or two ramps (option).


High quality industrial platform, long service life, solid and stable construction stainless steel (material DIN 1.4301), Plain top plate of platform made of one piece, with 1 x ramp. Load cells: High quality load cells DMS type KPZ 502E-3N, IP 68, OIML C3. Indicator: KPZ 52E-9-1 (possibility to deliver without indicator), 5 meter cable, sheltered at way out of scale in case of mechanical damage. Certification: EC approval possibility class III, Declaration of Conformity.

Typ	Capacity lb / kg	Division lb / g	Dim. Ft/mm	Approval possible	Indicator	Price \$	Article-No.
KPZ 2DN	1000 lb / 450 kg	0,2 lb / 90 g	3x3 / 915x915	YES  	52E91		2DN03030100L
KPZ 2DN	500/1000 lb/ 255/450 kg	0,1/0,2 lb/ 45/90 g	3x3 / 915x915	No	52E91		2DNM3030100L
KPZ 2DN	2000 lb/ 900 kg	0,5 lb/ 225 g	3x3 / 915x915	YES  	52E91		2DN03030200L
KPZ 2DN	1000/2000 lb/ 450/900 kg	0,2/0,5 lb/ 90/225 g	3x3 / 915x915	No	52E91		2DNM3030200L
KPZ 2DN	4000 lb/ 1800 kg	1 lb / 450 g	3x3 / 915x915	YES  	52E91		2DN03030400L
KPZ 2DN	2000/4000 lb/ 900/1800 kg	0,5/1 lb/ 225/450 g	3x3 / 915x915	No	52E91		2DNM3030400L
KPZ 2DN	2000 lb/ 900 kg	0,5 lb/ 225 g	4x4 / 1220x1220	YES  	52E91		2DN04040200L
KPZ 2DN	1000/2000 lb/ 450/900 kg	0,2/0,5 lb/ 90/225 g	4x4 / 1220x1220	No	52E91		2DNM4040200L
KPZ 2DN	4000 lb/ 1800 kg	1 lb/ 450 g	4x4 / 1220x1220	YES  	52E91		2DN04040400L
KPZ 2DN	2000/4000 lb/ 900/1800 kg	0,5/1 lb/ 225/450 g	4x4 / 1220x1220	No	52E91		2DNM4040400L
KPZ 2DN	2000 lb/ 900 kg	0,5 lb/ 225 g	4x5 / 1220x1520	YES  	52E91		2DN04050200L
KPZ 2DN	1000/2000 lb/ 450/900 kg	0,2/0,5 lb/ 90/225 g	4x5 / 1220x1520	No	52E91		2DNM4050200L
KPZ 2DN	4000 lb/ 1800 kg	1 lb/ 450 g	4x5 / 1220x1520	YES  	52E91		2DN04050500L
KPZ 2DN	2000/4000 lb/ 900/1800 kg	0,5/1 lb/ 225/450 g	4x5 / 1220x1520	No	52E91		2DNM4050500L
KPZ 2DN	2000 lb/ 900 kg	0,5 lb/ 225 g	5x5 / 1520x1520	YES  	52E91		2DN05050200L
KPZ 2DN	1000/2000 lb/ 450/900 kg	0,2/0,5 lb/ 90/225 g	5x5 / 1520x1520	No	52E91		2DNM5050200L
KPZ 2DN	4000 lb/ 1800 kg	1 lb/ 450 g	5x5 / 1520x1520	YES  	52E91		2DN05050500L
KPZ 2DN	2000/4000 lb/ 900/1800 kg	0,5/1 lb/ 225/450 g	5x5 / 1520x1520	No	52E91		2DNM5050500L

KPZ scales = better quality, better price ! !



Stainless steel, IP 67/68/ 69K



KPZ-Waagen Indicator

